ORIGINAL

NETWORKS

Northern Telecom 801 Pennsylvania Avenue NW Suite 700 Washington DC 20004 Tel 202.347.4610

PECEIVED

AUG 19 1999

PEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

EX PARTE UN LATE FILED

www.nortelnetworks.com

Raymond L. Strassburger

Director, Government Relations-Telecom, Internet and Advanced Technology Policy

August 19, 1999

Ms. Magalie Roman Salas Secretary Federal Communications Commission 445 Twelfth Street, S.W. Washington, DC 20544 **EX PARTE NOTICE**

Re: Ex Parte File, In the Matter of Deployment of Wireline Services Offering Advanced Telecommunications Capability CC Docket No. 98-147; Inquiry Concerning the Deployment of Advanced Telecommunications Capability to All Americans in a Reasonable and Timely Fashion CC Docket No. 98-147; Second Further Notice of Proposed Rulemaking in Matter of Implementation of the Local Competition Provisions in the Telecommunications Act of 1996 CC Docket No. 99-70

Dear Ms. Salas:

Pursuant to the Commission's rules this letter provides notice that on August 18, 1999, Wayne Getchell, Nabil Gebrael, Julie Hedlund, and the undersigned all of Nortel Networks met with FCC staff members Stagg Newman, Doug Sicker, Vincent Paladini, Michael Jacobs, Jerome Stanshine, Margaret Egler, and Staci Pies. The subject of the meeting was the referenced proceedings. The meeting was convened at the request of FCC staff. The discussion was based on the enclosed presentations, copies of which were left with each of the FCC attendees.

If you have any questions, please call me.

Sincerely,

Raymond L. Strassburger

Director, Government Relations-Telecom, Internet and

Advanced Technology Policy

RLS/jh

Enclosures

cc: Stagg Newman, Office of Engineering and Technology
Doug Sicker, Office of Engineering and Technology
Jerome Stanshine, Office of Engineering and Technology
Vincent Paladini, Common Carrier Bureau
Michael Jacobs, Common Carrier Bureau

Margaret Egler, Common Carrier Bureau


How the world shares ideas.

No. of Copies rec'd Clist ABCDE

NETEL FRETWORKS FCC Presentation Aug 18, 1999 Author Wayne Getchell Date : August '99

Loop Sharing Options

NORTEL NETWORKS



- **Options**
- A Loop Owner Wholesales Loop
- B Loop Owner Wholesales Spectrum
- C Loop Owner Wholesales Service

1.1

Sharing Ownership and Issues





	Loop Owner	Competitor	Issues
A Marie de la completa	• Loop • Maint / Quality • SLA	 Tie Cabling All voice/data terminating equip. Aggregation & routers at CO 	 CO & CLE testing limited through POTS splitter CLE - duplication of equipment and/or facilities, Cabinetry, Access mux, Transport etc space and cost constraints.
	• Loop • Splitter • Maint / Quality • SLA • SLA • ** • ** • ** • ** • ** • ** • ** • *	 Tie Cabling to voice/data loop terminating equip. All voice/data term equipment Aggregation & routers at CO 	 Fault diagnostic and test complications CLE - duplication of equipment and/ or facilities, Access mux, Transport etc space and cost constraints.
C	 Loop Splitter Maint / Quality SLA Loop terminating equipment 	Aggregation & routers at CO	 CLE - duplication of equipment and /or facilities, Access mux, Transport etc space and cost constraints. CLE - duplication of facilities, Access mux, Transport etc space and cost constraints.

Splitters

NETWORKS

Passive LC Voice / Data Splitter






Integrated Voice & Data Access

Integrated Voice Data Test Access

- Full frequency test access to loop
- Metallic access
- Test IN and test OUT capability

Loop Sharing OA&M Architecture NORTEL NETWORKS

Model for Integrated Voice & Data Sharing Loop and Sub-loop Unbundling



- Security & permissions is provided for multiple access to the element manager MIBS
- Element Mgmt structured to enables access for MIB sharing sharing

Sharing Requirements



Requirements to promote sharing

- Business Environment and or legislation supporting loop unbundling for both integrated and DSLAM offers
- OA&M infrastructure including standards to support loop sharing

Additional Considerations

- Sharing is not possible on loaded loops
- SLA and maintenance remains the responsibility of the loop owner. This includes
 insuring for long term loop maintenance and safety. basic DC parameters must
 be co-ordinated with the loop owner & include minimum and maximum loop voltage,
 and current (to provide sealing but within limits so as not to damage the loop or
 create hazard at service points in the outside plant.

Not Typically Specified but important

- Support for service outside voice band typically (300Hz -3.4KHz loss, loss at 1KHz and slope to 3.4KHz -10 & -9dB on RDA loops and noise floor < 30dBrnC noise to ground 90dBrnC and max power on loop -9dBm over 3 sec. etc.).
- Loop quality (loss in data band)
- Interference ingress crosstalk limits in band (protection for competitor)
- Interference egress coupling limits in band (protection for loop owner)

Quantified Value of Voice and Data Integration

Cost Reduction Opportunity	Initial Savings	Recurring Savings
Voice and Data Combined in a Single Bay less equipment H/W Installation savings	\$50 \$18	å***
Service Provisioning COSMOS ILC assignment Single versus Double jumpering	TBD \$12	TBD
Ongoing Maintenance Fewer cable runs, loop testing on single test head simplifies maintenance	\$21	\$21
TOTAL Savings per Line	\$101+	\$21+




Primary Values of an Integrated Line Card to provide ADSL and POTS Solutions

- Reduced Capital Equipment Costs
- Redeployment of Existing Assets
 - Utilize vacated POTS equipment
 - Integrated testing of voice and data via single test head
- Re-use of existing C.O. service order processing and C.O plant assignment
- Flow-through Data Provisioning
- Reduced MDF wiring and Floor Space




Value of Integrated Line Card in Central Office





UE 9000 ADSL/G.Lite leverages existing operations ==> Reducing costs

Network Components For Voice & Data Service Integrated






Value of Integrated Line Cards

Special Features:

- Filters are optimized for maximum Data Throughput
- Ringing and Off-Hook Detection for Fast Retrain
- Power-Line Cross Protection

Testing:

- Maximum Test Flexibility
- Coordinated Testing



Integrated voice and data line cards reduce the complexity of testing and troubleshooting circuits

